

GOVERNMENT/INDUSTRY AERONAUTICAL CHARTING FORUM
Instrument Procedures Group
April 18, 2006
HISTORY RECORD

FAA Control # 06-01-263

Subject: Uniform Application of FAA Order 7130.3A RNAV Charted Holding Pattern Lengths

Background/Discussion: FAA holding pattern criteria (Order 7130.3A) permit charting of different RNAV holding pattern lengths, depending upon altitude. To assure adequate lateral clearance from obstacles, the published leg length should be in accordance with the holding pattern template used to evaluate obstacle clearance.

Attached is Table 8, which shows the leg length selection table, predicated upon the Pattern Number used for obstacle clearance. At both Cortez, CO (KCEZ) and Sun Valley, ID (KSUN), Pattern Size 10 was correctly used for obstacle clearance evaluation because, in both locations, the minimum holding altitude is 9,800 feet. Also attached are excerpts from the applicable Form 8260-2 that documents Pattern 10 for the holding fixes at both locations. Note that PRESN (KSUN) has a charted leg length of 6 NM, but YURVE (KCEZ) has a charted leg length of 8 NM. According to 7130.3A, Table 8, the leg length for both locations should be 7 NM. In the KSUN case the pattern length is unnecessarily restricted, but in the KCEZ case, the pattern is longer than permitted, which could erode lateral obstacle clearance. The National Flight procedures Group (NFPG) has informed NBAA the variances are the result of lack of policy guidance.

Recommendations: AFS-420 should provide precise guidance to AVN-100 that Table 8 of Order 7120.3A is to be applied to the pattern size used to determine the controlling obstruction, not the pattern used for airspace purposes. The safety issue in this matter is uniform protection from possible laterally higher obstacles. The obstacle risk is unknown because procedures are not evaluated for obstacles outside containment areas.

Comments: This proposal affects policy guidance provided by AFS-420 to AVN-100.


Submitted by: Steve Bergner
Organization: NBAA
Phone: 202-783-9000
Fax: 202-331-8364
E-mail: Bergners@granitelp.com
Date: April 8, 2006

6-4. GPS LEG LENGTH DETERMINATION. Table 8 contains the maximum leg length which may be specified for a GPS holding pattern based on distance rather than time. Enter table 8 with the holding pattern number from [table 7](#) and read the maximum leg length.


TABLE 8. GPS HOLDING MAXIMUM OUTBOUND LEG LENGTH

Pattern Number	Maximum Outbound Leg Length (NM)	Pattern Number	Maximum Outbound Leg Length (NM)
3	4	17	10
4	4	18	11
5	4	19	11
6	5	20	12
7	6	21	12
8	6	22	12
9	7	23	12
10	7	24	13
11	8	25	13
12	8	26	14
13	9	27	14
14	9	28	15
15	10	29	16
16	10	30	16

4. AIR TRAFFIC REQUESTS APPROVAL OF REFERENCED FIX FOR:										NAME: PRESN, ID		
A. REPORTING POINT		COMPULSORY		AIRSPACE STRUCTURE FOR WHICH FIX IS DESIRED				X LOW ALTITUDE				
		ON REQUEST						HIGH ALTITUDE				
B. HOLDING												
PAT.	SPEED	AIRSPACE		SPEED	AIRSPACE		SPEED	AIRSPACE		SPEED	AIRSPACE	
	230 K	L	H	265 K	L	H		L	H		L	H
1	98/140	11		140/150	16							
C. HOLDING AREAS												
COMPLETELY WITHIN CONTROLLED AIRSPACE (If answer is "NO" Indicate Air Traffic action required in item 3 "REMARKS")										YES	NO	
CLEAR OF RESTRICTED / WARNING AREAS										X	X	
5. CHART PUBLICATION										X REQUIRED		
										NOT REQUIRED		
FIX	PRESENT	AREA	DP	STAR	JAL	AL	CONTROLLER	E/R LOW		E/R HIGH		
	REQUESTED					X		X				
HOLDING	PRESENT					X						
	REQUESTED					X						
6. ATC COORDINATION		DATE:			FACILITY:			NAME:				
7. CONTROLLING OBSTRUCTIONS												
PATTERN	AIRCRAFT	OBSTRUCTION		COORDINATES		ELEVATION(msl)		TEMPLATE		DETERMINATION		
1	230	200' AAO (SLC-S-0826)		431145.80N/1143317.40W		8150 (8A)		P-10		IAPA & MAP STUDY		



4. AIR TRAFFIC REQUESTS APPROVAL OF REFERENCED FIX FOR:										NAME: YURVE, CO		
A. REPORTING POINT		COMPULSORY		AIRSPACE STRUCTURE FOR WHICH FIX IS DESIRED				X LOW ALTITUDE				
		ON REQUEST						HIGH ALTITUDE				
B. HOLDING												
PAT.	SPEED	AIRSPACE		SPEED	AIRSPACE		SPEED	AIRSPACE		SPEED	AIRSPACE	
	230 K	L	H		L	H		L	H		L	H
1	98/140	11										
C. HOLDING AREAS												
COMPLETELY WITHIN CONTROLLED AIRSPACE (If answer is "NO" Indicate Air Traffic action required in item 3 "REMARKS")										YES	NO	
CLEAR OF RESTRICTED / WARNING AREAS										X	X	
5. CHART PUBLICATION										X REQUIRED		
										NOT REQUIRED		
FIX	PRESENT	AREA	DP	STAR	JAL	AL	CONTROLLER	E/R LOW		E/R HIGH		
	REQUESTED					X		X				
HOLDING	PRESENT					X						
	REQUESTED					X						
6. ATC COORDINATION		DATE:			FACILITY:			NAME:				
7. CONTROLLING OBSTRUCTIONS												
PATTERN	AIRCRAFT	OBSTRUCTION		COORDINATES		ELEVATION(msl)		TEMPLATE		DETERMINATION		
1	230	200' AAO		373730.00N/1063739.00W		8140 (4E)		P-10		IAPA & MAP STUDY		



INITIAL DISCUSSION (Meeting 06-01): New issue introduced by Rich Boll, NBAA. NBAA is concerned that the NFBG may be incorrectly applying holding pattern leg lengths. Brad Rush, AJW-321, briefed that Order 7130.3A, Table 8 is not being used. Per the AFS-420 memorandum of June 17, 2004, which was prompted by issue 03-01-247, the NFBG is using Chapter 2 to determine holding pattern size and Appendix 1 to determine leg length. NBAA agrees with using Chapter 2 to determine pattern size; however, once size has been determined, then Table 8 should be used to specify leg length. NBAA also believes that the maximum leg length specified in Table 8 should also be considered the optimum length and has requested AFS-420 issue policy accordingly. There was also a discussion on holding pattern controlling obstacle documentation on FAA Form 8260-2. Danny Hamilton, AJW, 324, stated that Order 8260.19, paragraph 841j(2) requires evaluating the larger holding pattern but documenting the controlling obstacle for the smaller pattern. This issue is also under discussion within the AJW-32/AFS-420 Criteria Coordinating Committee (CCC). Tom Schneider, AFS-420, agreed to take the issues (leg lengths and documentation requirements) for study within AFS-420. **ACTION: AFS-420.**

MEETING 06-02: Tom Schneider, AFS-420, briefed that Steve Winter, the AFS-420 specialist responsible for holding pattern criteria, agrees with the NBAA position that Table 8 should be used. A policy clarification memorandum has been written and is in coordination for signature. Once the total AFS-440 holding study is complete (see issue 03-01-247), the updated guidance will be included in the re-write of Order 7130.3. Rich Boll, NBAA, asked when the memo would be signed. Tom responded within the next 30 days.

ACTION: AFS-420.

MEETING 07-01: Tom Schneider, AFS-420, briefed that a policy clarification memorandum has been written supporting the NBAA position that Table 8 should be used to determine RNAV holding pattern leg lengths. The memorandum was signed on November 27, 2006 and a copy was included in the meeting handout material and posted on the AFS-420 policy web site. Once the total AFS-440 holding study is complete (see issue 03-01-247), the updated guidance will be included in the re-write of Order 7130.3. Brad Rush, AJW-321, stated that his office did not receive the memorandum and that the change will require an IAPA programming change. Tom stated that it is on the AFS-420 policy memorandum web site.

Editor's Note: Post meeting review of the discussion indicates policy has been clarified and no further action is required. The issue is closed.

ITEM CLOSED.
